

What is claimed is:

1. An anomalous shadow detection system comprising
anomalous shadow detecting means for detecting a
suspected anomalous shadow from image data descriptive of an
inputted image according to a prescribed detection process,
5 and

image output means for outputting information including
at least information identifying the detected suspected
anomalous shadow, wherein

10 the image output means further outputs value(s) of one
or more standard parameters concerning the suspected
anomalous shadow together with the information including at
least the information identifying the suspected anomalous
shadow.

15 2. An anomalous shadow detection system according to
Claim 1, wherein the image output means is either of image
display means or printing means.

3. An anomalous shadow detection system according to
Claim 1, wherein the image output means further outputs
20 certainty of detection of the suspected anomalous shadow
together with the information including the information
identifying the suspected anomalous shadow.

4. An anomalous shadow detection system according to
Claim 3, wherein the image output means is either of image
25 display means or printing means.

5. An anomalous shadow detection system according to

5 Claim 1, wherein said one or more standard parameters include at least one of calcification density, image density concentration of the suspected anomalous shadow, an output value of an iris filter, and malignancy/benignancy of the suspected anomalous shadow.

6. An anomalous shadow detection system according to Claim 5, wherein the image output means is either of image display means or printing means.

10 7. An anomalous shadow detection system according to Claim 1, wherein

15 said one or more standard parameters include at least one of calcification density, image density concentration of the suspected anomalous shadow, an output value of an iris filter, and malignancy/benignancy of the suspected anomalous shadow, and wherein

the image output means further outputs certainty of detection of the suspected anomalous shadow together with the information including the information identifying the suspected anomalous shadow.

20 8. An anomalous shadow detection system according to Claim 7, wherein the image output means is either of image display means or printing means.

25 9. An anomalous shadow detection system according to Claim 1, wherein each of said one or more standard parameters is a parameter used for distinguishing the suspected anomalous shadow from a normal shadow.

10. An anomalous shadow detection system according to Claim 9, wherein the image output means is either of image display means or printing means.

11. An anomalous shadow detection system according to Claim 1, wherein

each of said one or more standard parameters is a parameter used for distinguishing the suspected anomalous shadow from a normal shadow, and wherein

said one or more standard parameters include at least one of calcification density, image density concentration of the suspected anomalous shadow, an output value of an iris filter, and malignancy/benignancy of the suspected anomalous shadow.

12. An anomalous shadow detection system according to Claim 11, wherein the image output means is either of image display means or printing means.

13. An anomalous shadow detection system according to Claim 1, wherein

each of said one or more standard parameters is a parameter used for distinguishing the suspected anomalous shadow from a normal shadow, wherein

said one or more standard parameters include at least one of calcification density, image density concentration of the suspected anomalous shadow, an output value of an iris filter, and malignancy/benignancy of the suspected anomalous shadow, and wherein

the image output means further outputs certainty of detection of the suspected anomalous shadow together with the information including the information identifying the suspected anomalous shadow.

5 14. An anomalous shadow detection system according to Claim 13, wherein the image output means is either of image display means or printing means.

15. An anomalous shadow detection system comprising anomalous shadow detecting means for detecting a suspected anomalous shadow from image data descriptive of an inputted image according to a prescribed detection process, and

10 image output means for outputting information including at least information identifying the detected suspected anomalous shadow, wherein

15 the image output means further outputs certainty of detection of the suspected anomalous shadow together with the information including the information identifying the suspected anomalous shadow.

20 16. An anomalous shadow detection system according to Claim 15, wherein the image output means is either of image display means or printing means.

25 17. An anomalous shadow detection system according to any one of Claims 1-16, wherein the information identifying the suspected anomalous shadow is either of an image of the suspected anomalous shadow or numerical data descriptive of

173
C.A.

a position, morphology or size of the suspected anomalous shadow.

CONFIDENTIAL